

# PARTI GLASS EXPERIENCE CENTER

A Joint Collaboration between Kaashni Hardwaress and Ambica Aluminium Company

#339/2-1, Anantharamaiah Towers, Gate #1,  
Opp Satellite Bus Terminal, Mysore Rd, New Guddadahalli,  
Bengaluru, Karnataka 560026  
www.partiglass.com | info@partiglass.com  
Ph No. : 1800-208-1013



PARTI GLASS



Kaashni Hardwaress



AL13.in  
AMBICA ALUMINIUM COMPANY

DEMOUNTABLE  
PARTITION SYSTEMS

# INDEX



INTRODUCTION - 01-02



NANO 25 - 03-04



NEO 45 - 07-10



GIGA 100 - 11-14



PRO 85 - 15-18



ULTRA 85 - 19-22



MAX 85 - 23-26



PLUS 85 - 27-30



VISTA 75 - 31-34



A plethora of system dividers for the modern space, we at Parti glass, design and fabricate our products to fit in your space. We fabricate, supply and install partition systems to complement residential, commercial and corporate spaces. Parti glass Partitions are simple and hassle-free. The flexible configuration effortlessly moves the elegant frame combining structural design with conceptualization.

Structurally, partition walls offer customizable shapes and sizes, ultimate flexibility and easy maintenance. Offered in a variety of textures and materials in addition to fit every space without creative ideas being compromised.

With years of experience to provide solutions for offices, hospitals, banks and many more apart from commercial and corporate spaces, our team transform simple dimensions to design concept rooms. Working with architects and design engineers, have only added new profiles, offering exceptional services, innovative designed partition systems and unsurpassed quality.

At Parti glass, we provide not just customized solutions but also stylish, modern and functional interiors.



## NEO 45

Transforming into a personalized partition and highlighting into independent rooms. The slim sturdy aluminium panels give a humble conceptual design based beginning to a perfect precise finish. Any combination of wood or tempered glass can be installed along with a selection of doors.

- Profile : 25x45mm  
\* Silver / Black / other anodised & wooden finishes available.
- Can be used for door frame with cover or rebate profile.
- Horizontal transoms & vertical mullion system possible.
- Glass thickness supported : 10 & 12mm. \* Single glaze system.
- Acoustical Insulation : 32db (Standard conditions)..
- Partition height up to 3,000mm.

### Door Configuration



Hinged Glass Door



Hinged Glass Door



Patch Fitting Glass Door



Stile Door 77mm x 43mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick





PG<sup>TM</sup>

PARTI GLASS