

# PARTI GLASS EXPERIENCE CENTER

A Joint Collaboration between Kaashni Hardwaress and Ambica Aluminium Company

#339/2-1, Anantharamaiah Towers, Gate #1,  
Opp Satellite Bus Terminal, Mysore Rd, New Guddadahalli,  
Bengaluru, Karnataka 560026

[www.partiglass.com](http://www.partiglass.com) | [info@partiglass.com](mailto:info@partiglass.com)

Ph No. : 1800-208-1013



PARTI GLASS



DEMOUNTABLE  
PARTITION SYSTEMS



Kaashni Hardwaress




AMBICA ALUMINIUM COMPANY


# INDEX




INTRODUCTION - 01-02




NANO 25 - 03-04



NEO 45 - 07-10



GIGA 100 - 11-14



PRO 85 - 15-18




ULTRA 85 - 19-22



MAX 85 - 23-26



PLUS 85 - 27-30



VISTA 75 - 31-34





A plethora of system dividers for the modern space, we at Parti glass, design and fabricate our products to fit in your space. We fabricate, supply and install partition systems to complement residential, commercial and corporate spaces. Parti glass Partitions are simple and hassle-free. The flexible configuration effortlessly moves the elegant frame combining structural design with conceptualization.

Structurally, partition walls offer customizable shapes and sizes, ultimate flexibility and easy maintenance. Offered in a variety of textures and materials in addition to fit every space without creative ideas being compromised.

With years of experience to provide solutions for offices, hospitals, banks and many more apart from commercial and corporate spaces, our team transform simple dimensions to design concept rooms. Working with architects and design engineers, have only added new profiles, offering exceptional services, innovative designed partition systems and unsurpassed quality.

At Parti glass, we provide not just customized solutions but also stylish, modern and functional interiors.





## NANO 25

Separate your space with innovative concepts. Interiors that involve strategic and creative solutions for the entire space in the organization. The slim sturdy aluminium panels give a modern atmosphere to any offices. Nano 25 consists of a Section dimension of 25 x 25mm and is a clip on system for easy glass installation.

- Profile : 25x25mm
- Silver / Black / other anodised & wooden finishes available.
- Glass thickness supported : 10 & 12mm.
- Single glaze system.
- Acoustical Insulation : 32db (Standard conditions)..
- Partition height up to 3,000mm.
- Curved Profile available.



## Door Configuration



Hinged Glass Door



Hinged Glass Door



Patch Fitting Glass Door




Stile Door 77mm x 43mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick





## NEO 45

Transforming into a personalized partition and highlighting into independent rooms. The slim sturdy aluminium panels give a humble conceptual design based beginning to a perfect precise finish. Any combination of wood or tempered glass can be installed along with a selection of doors.

- Profile : 25x45mm  
\* Silver / Black / other anodised & wooden finishes available.
- Can be used for door frame with cover or rebate profile.
- Horizontal transoms & vertical mullion system possible.
- Glass thickness supported : 10 & 12mm. \* Single glaze system.
- Acoustical Insulation : 32db (Standard conditions)..
- Partition height up to 3,000mm.

# Door Configuration



Hinghed Glass Door



Hinghed Glass Door



Patch Fitting Glass Door



Stile Door 77mm x 43mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick








## GIGA 100

Giga100 demountable office partition for an ideal work space that enables an attractive design with aesthetics. Providing the best in class designs that are engineered for impeccable execution. 100mm x 25mm, glazing seal and bead with selection of door frame options.

- Profile : 25x100mm
- Silver / Black / other anodised & wooden finishes available.
- Can be used for door frame with cover or rebate profile.
- Glass thickness supported : 10 & 12mm. \* Double glaze system.
- Acoustical Insulation : 48 - 52db (Standard conditions)..
- Partition height up to 3,000mm..





## Door Configuration



Hinged Glass Door



Hinged Glass Door



Patch Fitting Glass Door



Stile Door 77mm x 43mm




Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick





## PRO 75

Pro 75 modular aluminum single glaze partition system offers the best rigidity and strength due to heavy profile. It is also aesthetically pleasing due to the glass to profile ratio.

- Standard track 75 x 32 mm.
- This partition suite can be used with any stud thickness.
- Slim Design.
- Suitable for glass thickness 6 to 10mm.
- Horizontal transoms & vertical mullion system possible.
- Single door frame Sizes to allow 35 to 45mm doors. \* Single glaze system.
- Partition height up to 3,000mm.
- Sound insulation capacity upto 28 - 36db (Standard conditions).





## Door Configuration



Hinged Glass Door



Hinged Glass Door



Patch Fitting Glass Door



Stile Door 77mm x 43mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick



## ULTRA 85

Ultra 85 modifying space with customized partition system produces a perfect interior design for a corporate set-up, complementing its architectural excellence. This partition suite can be used with any stud thickness.

- Standard track 75 x 32 mm.
- This partition suite can be used with any stud thickness.
- Slim Design, rich looks .
- Suitable for glass thickness 6 to 10mm.
- Horizontal transoms & vertical mullion system possible.
- Single door frame Sizes to allow 35 to 45mm doors. \* Single glaze system.
- Partition height up to 3,000mm.
- Sound insulation capacity upto 32 - 40db (Standard conditions).



### Door Configuration



Hinghed Glass Door



Hinghed Glass Door



Patch Fitting Glass Door



Stile Door 100mm x 40mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick



## MAX 85

Max 85 enable a functional and customized solution, these partitioning systems make it ideal for any office conditions ensuring a peaceful working environment. A round moulded system that will give a modern edge within a stylish office environment.

- Standard track 85 x 32 mm.
- Heavy, round moulded look.
- Suitable for glass thickness 6 to 8mm.
- Round moulded system.
- Single door frame Sizes to allow 35 to 45mm doors.
- Single glaze system.
- Partition height up to 3,000mm.
- Sound insulation capacity upto 32 - 40db (Standard conditions).





### Door Configuration



Hinghed Glass Door



Hinghed Glass Door



Patch Fitting Glass Door



Stile Door 100mm x 40mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick

## PLUS 85

Ideal for any work space that tackles a double necessity of privacy as well as maintaining transparency at a conference room or cubicle. Partition is a completely modular solution offering total flexibility for relocation whilst maintaining a high aesthetic visual appearance.

- Standard track 85 x 32 mm.
- Heavy double glass look.
- Suitable for glass thickness 6 to 8mm.
- Horizontal transoms & vertical mullion.
- Single door frame Sizes to allow 35 to 45mm doors.
- Double glaze system.
- Partition height up to 3,000mm.
- Sound insulation capacity upto 40 - 48db (Standard conditions). Double glass doors can be installed with this option.



## Door Configuration



Hinged Glass Door



Hinged Glass Door



Patch Fitting Glass Door




Stile Door 100mm x 40mm




Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick





## VISTA 85

Vista 85 Double Glazed Office Partition meets the demand for more acoustic privacy in building interiors. This keeps exterior sound out and interior sound in while allowing ample natural light to flow through office interiors. Series combines the efficiency and aesthetic attributes of glass with the performance.

- Standard track 85 x 32 mm.
- Heavy double glass system with venetian blinds.
- Suitable for glass thickness 6 to 8mm.
- Horizontal + vertical.
- Single door frame Sizes to allow 35 to 45mm doors.
- Double glaze system.
- Easy to operate venetian blinds between two glass panels.
- Sound insulation capacity upto 40 - 48db (Standard condition).
- Double glass doors can be installed with this option.



# Door Configuration



Hinged Glass Door



Hinged Glass Door



Patch Fitting Glass Door



Stile Door 100mm x 40mm



Wooden Door 32 - 45mm Thick



Wooden Door 32 - 45mm Thick





PARTI GLASS